				Page 1 of 4	
Subst. Form PTO-	1449	Atty. Docket No.: TRV 20011-2		Serial No.: 09/759,622	
APPLICANT'S INFO	RMATION	TON Applicant: Karl Tryggvason et al.			
DISCLOSURE STATE		Filing Date: January 21, 2001		Group: Unknown	
		OTHER ART			
INF AA	Altschul, S.F., Gish, W., Miller, W., Myers, E.W., and Lipman, D.J. (1990) Basic local alignment search tool.				
10 × 10 × 10	J. Mol. Biol. 215, 403-10.				
	Appel, R.D. Bairoch, A. And Hochstrasser, D.F. (1994) A new generation of information retrieval tools for biologists:				
PEB 23 7811 AE	the example of the ExPASy WWW server. Trends Biochem. Sci. 19: 258-260.				
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Barker, D. Hostikka, S.L., Zhou, J., Chow, L.T., Oliphant, A.R., Gerken, S.C., Gregory, M.C., Skolnick, M.H., Atkin,				
	C.L. and Tryggvason, K. (1990) Identification of Mutations in the COL4A5 collagen gene in Alport Syndrome. Science 248, 1224-1227.				
AD	Brümmendot	tt, T., and Rathjen, F.G. (1994) Cell adhesion molecules	1: Immuno	globulin superfamily. Protein profile	
!	1, 951-1058.				
AE	Burge, C. An	d Karlin, S. (1997) Prediction of complete gene structure	es in humar	genomic DNA. J. Mol. Biol. 168, 78-	
	94.				
AF	AF Chapelle, A. de la (1993) Disease gene mapping in isolated human populations: the example of Finland. J.				
	Genet. 30: 8	357-865.	<u>.</u>		
AG	AG Dolan, M., Horchar, T., Rigatti, B., and Hassell, J.R. (1997) Identification of sites in domain I perlecan that regul				
	heparan sulfate synthesis, J. Biol. Chem. 272, 4316-4322.				
НА	Fahrig, T., Landa, C., Psheva, P., Kühn, K., and Schacher, M. (1987) Characterization of binding properties of the				
	myelin-assoc	ciated glycoprotein to extracellular matrix constituents. E	MBO J. 6,	2875-2883.	
AI	Fuchshuber,	r, A., Niaudet, P., Gribouval, O., Genevieve, J., Gubler, M-C., Broyer, M. And Antignac, C. (1996)			
	Congenital Nephrotic Syndrome of the Finnish type: linkage to the locus in a non-Finnish population. Pediatr. Nephrol. 10: 135-138.			n-Finnish population. Pediatr.	
AJ	Hästbacka, J., Chapelle, A. de Ia, Mahtani, M.M., Clines, G., Reebe-Daly, M.P., Daly, M., H Trivedi, B., Weacer, A., Coloma, A., Lovett, M., Buckler, A., Kaitila, I., and Lander, E.S. (199		Daly, M., Hamilton, B.A., Kusumi, K., er, E.S. (1994) The Diastrophic		
		ene encodes a novel sulfate transporter: positional cloning by fine-structure linkage disequilibrium ell 78, 1073-1087.			
AK	Hillier et al. (	1997) "WashU-NCI human EST project", Genbank Locu	s AA67862	22.	
<u></u>	<del>"-</del>				
AL		C., Antikainene, M., Rönnholm, K., Ala-Houhala, M. And	Jalanko, H.	(1995) Management of congenital	
	nephrotic syndrome of the Finnish type, Pediatr. Nephrol. 9: 87-93.				
AM	Ikonen, E., Baumann, M., Grön, K., Syvänen, A-C., Enomaa, N., Halila, R., Aula, P. And Peltonen, L., (1991)				
		partylglucosaminuria: cDNA encoding human aspartylglucosaminidase and the missense mutation causing the page. EMBO J. 10: 51-58.			
Examiner:	/		Date Co	onsidered: 2/1/0)	
* EXAMINER: with MPEP Include co	609; Dra	if reference considered, whether or w line through citation if in conform is form with next communication to ap	nance an	d not considered.	

					Page 2 of 4			
Subst. Form PTO-1449  APPLICANT'S INFORMATION			-1449	Atty. Docket No.: TRV 20011-2	Serial No.: 09/759,622			
			ORMATION	Applicant: Karl Tryggvason et al.				
	DISCLOSURE STATEMENT			Filing Date: January 21, 2001	Group: Unknown			
				OTHER ART				
	0.200	ва	Jurka, J., Klonowski, P., Dagman, V., Pelton, P. (1996) CENSOR - a program for identification and elimination of					
6,	P/E vo	\	repetitive ele	ments from DNA sequences. Computers and Chemistry \	Vol. 20 (No. 1): 119-122.			
	and L	ВВ	Kallunki, P.,	and Tryggvason, K. (1992) Human basement membrane	heparan sulfate proteoglycan core protein: a			
阳	TRADEMA		467 kD protein containing multiple domain resmbling elements of the low density lipoprotein receptor, laminin, neural cell adhesion molecules, and epidermal growth factor. J. Cell Biol. 116, 559-571.					
18	TRADEMI	вс	Kasinath, B.	S. and Kanwar, Y.S. (1993) Glomerular basement membra	ane: biology and physiology. In: Molecular and			
			cellular aspects of basement membranes (D. Rorhbach and R. Timpl, eds), Academic Press, pp. 89-106.					
		BD	Kawai, S. No	omura, S., Harano, T., Fukushima, T., & Osawa, G. (1996)	The COL4A5 gene in Japanese Alport			
			syndrome pa	atients: spectrum of mutations of all exons. Kidney Int. 49,	814-822.			
		BE	Keino-Masu	, K., Masu. M., Hinck, L., Leonardo, E.D., Chan, S.S.Y., Cu	ulotti, J.G., and Tessier-Lavigne, M. (1996)			
			Cell 87, 175	·185.				
		BF	Kestila, M., e	et al. "Positionally cloned Gene for a novel Glomerular Prot	tein (Nephrin) is Mutated in Congenital			
			Nephrotic S	yndrome, "Molecular Cell, Vol. 1, No. 4, March 1998, Pgs.	575-582.			
		BG	Kestilä, M., Männikkö, M., Holmberg, C., Korpela, K., Savolainen, E.R., Peltonen, L. and Tryggvason, K. (1994a					
			Exclusion of eight genes as mutated loci in congenital nephrotic syndrome of the Finnish type. Kidney Int. 45, 98 990.  Kestilä, M., Männikkö, M., Holmberg, C., Gyapay, G. Weissenbach, J. Savolainen, E.R., Peltonen, L. and  Tryggvason K. (1994b) Congenital nephrotic syndrome of the Finnish type maps to the long arm of chromosome Am. J. Hum. Genet. 54, 757-764.					
		вн						
		BI	Knebelmanı	et al. (1996) Spectrum of mutations in the				
			COL4A5 co	ollagen gene in X-linked Alport syndrome. Am. J., Hum. Genet. 59, 1221-1232.				
				ies, O. (1990) Genetics of congenital and early infantile nephrotic syndromes. In: Spitzer, A., Avner, E.D.				
	1 I I		(Eds) Inheritance of kidney and uritary tract diseases. Kluwer, Boston, Dordrecht and London, p. 131-138.					
BK Laine, J., Jalanko, H., Holthöfer, H. Krogerus, L., Rapola, J., von Willebrand, E., Lautensch				rand, E., Lautenschlager, I., Salmela, K. and				
Holmberg, C. (1993) Post-transplantation nephrosis in congenital nephrotic syndrome o				hrotic syndrome of the Finnish-type. Kidney Int.				
		BL	Lamerden,	J.E., et al. "Sequence Analysis of a 1Mb Region in 19q13.	.1," EMBL Sequence Database, July 11, 1997.			
	В		Lenkkeri, U., et al, "Structure of the Gene for Congenital Nephrotic Syndrome of the Finnish Type (NPHS1) and					
			Characterization of Mutations," American Journal of Human Genetics, Vol. 64, No. 1, January 1999, Pgs. 51-56.					
Ex	aminer:		2.3	//n/2	Date Considered: 2/11/63			
*	wit	MINER h MPEI	P 609: Dra	if reference considered, whether or now line through citation if in conformation is form with next communication to app	nce and not considered.			

f ,

Page 3 of 4

				Page 3 of		
Subst. Form PTO-1449			Atty. Docket No.: TRV 20011-2	Serial No.: 09/759,622		
APPLICANT'S INFORMATION		ORMATION	Applicant: Karl Tryggvason et al.			
DISCLOSURE STATEMENT			Filing Date: January 21, 2001	Group: Unknown		
V (	CA	Liunahara E	P. Jolonko H. Holmborg C. and Hollhöfer H. (1993) Con	genital penhasis of the Finnish type (CNF):		
1/	~^		g, P., Jalanko, H., Holmberg, C., and Holthöfer, H. (1993) Congenital nephrosis of the Finnish type (CNF):			
Matrix comp 612.			onents of the glomerular basement membranes and of cultured mesangial cells. Histochem J. 25: 606-			
CB Mahan, J.D.			Mauer, S.M. Sibley R.K. and Vernier, R.L. (1984) Congenit	ital nephrotic syndrome: Evolution of medical		
		management and results of renal transplantation. J. Pediatr. 105: 549-557.				
	cc	Männikkö, M	Kestilä, M., Holmberg, C. Norio, R., Ryynänen, M., Olsen, A., Peltonen, L. And Tryggvason, K. (1995)			
			ng and haplotype analysis of the locus for congenital nephrotic syndrome on chromosome 19q13.1. Am J. t. 57: 1377-1383.			
	CD	Männikkö, N	1., Kestilä, M., Lenkkeri, U., Alakurtti, H., Holmberg, C., Leis	sti, J., Salonen, R., Aula, P., Mustonen, A.,		
	:	Peltonen, L., Finnish type	, and Tryggvason, K., (1997) Improved prenatal diagnosis of the congenital nephrotic syndrome of the name based on DNA analysis, Kidney Int. 51: 868-872.			
	CE	amada, Y., and Hassell, J.R. (1991) The te proteoglycan, reveals extensive similarity				
			A chain, low density lipoprotein receptor, and the neural cel	Il adhesion molecule. J. Biol. Chem. 266,		
	CF Olsen, A. Georgescu, A., Johnson, S. and Carrano, A.V. (1996) Assembly of a 1-Mb restriction-ma			ably of a 1-Mb restriction-mapped cosmid		
contig spanning the candidate region for Finnish congenital nephrosis (NPF				(NPHS1) in 19q13.1. Genomics 34: 223-225.		
	cg [	Pesheva, P.	F3/11 cell adhesion molecule mediates the			
		repulsion of	eurons by the extracellular matrix glycoprotein J1-160/180. Neuron 10, 69-82.			
	СН	CH Rapola, J., Huttunen, N.P. and Hallman, N. (1992) Congenital and infantile nephrotic syndrome. In: Ed				
	(ed.) Pediatric Kidney Disease. 2nd ed. Little, Brown and Company, Boston. Vol. 2			ston. Vol. 2: 1291-1305.		
	CI	Renieri, A., E	Bruttini, M., Galli, L., Zanelli, P., Neri, T., et al. (1996) X-linked Alport syndrome: an SSCP based urvey over all 51 exons of the COL4A5 gene. Am. J. Hum. Genet. 58, 1192-1204.  V.V., Salamov, A.A., Lawrence, C.B. (1994) Predicting internal exons by oligonucleotide composition and			
		mutation sur				
	CJ	Solovyev, V.				
		discriminant	t analysis of spliceable open reading frames. Nucl. Acids Res. 22(24): 5156-5163.			
	ск	Stratagene (	Catalog, (1988) p. 39.			
	CL Tryggvasor		on, K. (1996) Mutations in type IV collagen genes in Alport syndrome. In: Molecular pathology and			
Genetics of Alport syndrome			Alport syndrome (ed. K. Tryggvason). Contrib. Nephrol., 11	ome (ed. K. Tryggvason). Contrib. Nephrol., 117, 154-171, Karger, Basel		
~ ·	CM Tryggvason, K. and Kovalainen, K. (1975) Number of nephrons in normal human kidneys and kidneys of pati			nal human kidneys and kidneys of patients		
		with the con	genital nephrotic syndrome. Nephron 15: 62-68.			
Examiner:		1	D	Date Considered: Uulo		
* EXAMII with I	MPEP	609: Dra	if reference considered, whether or no weline through citation if in conformant is form with next communication to apple	nce and not considered.		

Page 4 of 4

Subst. Form PTO-1449			Atty. Docket No.: TRV 20011-2	Serial No.: 09/759,622	
APPLICANT'S INFORMATION		ORMATION	Applicant: Karl Tryggvason et al.		
DISCLOSURE STATEMENT			Filing Date: January 21, 2001	Group: Unknown	
6	DA	Uberbacher,	E.C. and Mural, R.J. (1991) Locating protein-coding regions in hu	oding regions in human DNA sequences by a multiple	
		sensor-neura	sensor-neural network approach, Proc. Natl. Acad. Sci. USA 88: 11261-11265.		
	DB				
		adhesion mo	adhesion molecule contactin/F11 binds to tenascin via its immunoglobulin-like domains. J. Cell Biol. 119, 203-213.		
•	DC				
	DD				
	DE				
	DF				
	DG				
	DH				
	DI				
	DJ			·	
	<u> </u>		100		
	DK				
	DL				
	DM				
<b> </b>					
	DN				
,					
Examiner:		1	Date (	Considered: 2/4/0	
* EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if in conformance and not considered.  Include copy of this form with next communication to applicant.					